

PRODUCT DATASHEET

**IP65 Not afraid of the harsh environment tri-proof light
HYD-T22E**



Application

- Tunnel
- Parking lot
- Factory
- Petrochemical working areas

Benefit

- Flicker free
- Protection against water and dust, IP65
- Fastener fixed, built-in T8 lamp holder, easy to replace the light source
- The professional sealing design ensures the stability and safety of the lamps

Feature

- Clear PC Lenses
- Warranty 5 years
- Easy and quick installation
- ABS flame retardant material, it has excellent oxidation resistance, wear resistance

December,09,2024
Product Datasheet
HYD-T22E

Page 1 of 3


Electrical Data

Nominal wattage (W)	T8 tube
---------------------	---------

Nominal Voltage(V)	220-240V
Operating mode	Built in

Dimensions & Weight

Diameter (mm)	1265*113
Height (mm)	86
Product weight (g)	...



Material & Colors

Product color	White Frame+Gray Housing
Housing color	Gray
Body material	ABS
Cover material	PC
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-10°C - +45 °C
Temperature range at storage	-10°C - +45 °C
Type of connection	Screw terminal
Type of protection	IP65
Dimmable	No
Mounting type	Surface mounted
Mounting location	Ceiling
Application environment	Indoor/Outdoor
Cut size (mm)	No
LED module replaceable	Can replaceable
With light source	Yes

Certificates & Lifespan

Life (h)	50,000
Certificates	CB CE LVD EMC RoHS
Standards	ISO9001:2015

Logistical Data

Product code	Dimensions (L*W*H)	Pcs/ carton	G.W. kg	Volume CBM
HYD-T22E	128.5*24*20.5 cm	6	11.8	0.06322

Installation Method


Lamps installation and replacement

Step1: Slip open the steel clips


A sides: Heatsink
B sides: Diffuser




Step3: Install or replace the T8 Tubes



Step2: Suspend the diffuser



Step4: Close the diffuser and push inward the steel clips




Ceiling Mounting

- ① Fix the 2 bracket on the ceiling with the screws



- ② Clip the light for connecting lines into the bracket and complete the installation



Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.