

Your Trusted Partner...

Deutsch
Industries

PRODUCT
MINI CATALOG

- INDUSTRIAL
- COMMERCIAL
- RESIDENTIAL

LIGHTING SOLUTIONS



21 Ahmed Oraby St., El Mohandseen, Giza, Egypt



Plot No. 64 & 65, 4th Industrial Area, 6th of October City, Giza, Egypt



(+20) 233459773 & (+20) 233459771



info@deutschindustries.com

2026

Deutsch

ABOUT US

We are a company under Nahdet Misr Group (NMG). Nahdet Misr is an innovative conglomerate that has been at the forefront of the publishing industry for over 85 years, NMG has gained global recognition as a leading provider of integrated and cutting-edge educational and capability building solutions.

Vision

To lead the transformation of lighting and power solutions through innovation, sustainability, and customer-centric excellence.

Mission

We strive to achieve market leadership by investing in our people, adopting advanced technologies, and delivering exceptional products and after-sales services that exceed customer expectations.

Believe in something better. Believe in...

HYUNDAI

General | Specs

CCT
3000K - 4000K - 6000K



Material
Die-Cast Aluminum



Model: 254
Power: 1*7W
Total Lumen: 784 lm
Angle: 88°
Cut-out: 75 mm



Model: 255
Power: 2*7W
Total Lumen: 1540 lm
Angle: 88°
Cut-out: 80*160 mm



Model: 255
Power: 3*7W
Total Lumen: 2331 lm
Angle: 88°
Cut-out: 80*240 mm



Model: 255
Power: 4*7W
Total Lumen: 3080 lm
Angle: 88°
Cut-out: 160*160 mm



IP 20



Lifetime
50,000 Hrs



Warranty
5 Years



Model: 352
Power: 5W - 7W
Total Lumen: 340 - 606 lm
Angle: 32° - 24°
Cut-out: 47 - 60 mm



Model: 352
Power: 1W - 2W - 4W
Total Lumen: 29 - 98 - 260 lm
Angle: 32° - 15° - 33°
Cut-out: 18 - 30 - 40 mm



Model: 219C
Power: 7W - 15W - 20W
Total Lumen: 630 - 1620 - 2300 lm
Angle: 82° - 87° - 82°
Cut-out: 75 - 110 - 145 mm

Indoor lighting solutions deliver efficient, high-quality illumination with advanced LED technology, durable construction, and low-glare performance—creating comfortable, visually appealing spaces for every interior.

General | Specs

CCT
3000K - 4000K - 6000K



Material
Die-Cast Aluminum



Model: 324
Power: 7W - 12W - 20W
Total Lumen: 553 - 1116 - 1940 lm
Angle: 32° - 37° - 39°
Cut-out: 60 - 75 - 95 mm



Model: 308
Power: 7W - 15W
Total Lumen: 672 - 1485 lm
Angle: 33° - 77°
Cut-out: 75 - 120 mm



Model: 240R
Power: 7W - 10W - 15W - 30W
Total Lumen: 644 - 980 - 1620 - 3330 lm
Angle: 109° - 109° - 114° - 133°
Cut-out: 75 - 100 - 140 - 205 mm



Model: 347A
Power: 8W
Total Lumen: 688 lm
Angle: 34°
Cut-out: 78 mm



IP 20



Lifetime
50,000 Hrs



Warranty
5 Years



Model: 116E
Power: 7W - 10W - 20W - 30W
Total Lumen: 504 - 850 - 2000 - 3690 lm
Angle: 103° - 104° - 107° - 107°
Cut-out: 75 - 95 - 145 - 190 mm
Warranty: 3 Years
Lifetime: 20,000 Hrs



Model: P8
Power: 12W - 18W - 24W
Total Lumen: 1051 - 1684 - 2681 lm
Angle: 111°
Cut-out: N/A
Warranty: 3 Years
Lifetime: 20,000 Hrs



Model: P7
Power: 5W - 8W - 15W - 20W
Total Lumen: 344 - 712 - 1304 - 2047 lm
Angle: 108° - 109° - 110° - 110°
Cut-out: 75 - 95 - 145 - 190 mm
Warranty: 3 Years
Lifetime: 20,000 Hrs

Indoor lighting solutions deliver efficient, high-quality illumination with advanced LED technology, durable construction, and low-glare performance—creating comfortable, visually appealing spaces for every interior.

General | Specs

CCT
3000K - 4000K - 6000K



Model: 104B
Power: 40W - 55W
Total Lumen: 4440 - 6270 lm
Angle: 114°
Size: 595*595*32mm
Material: Iron
Lifetime: 50,000 Hrs
Warranty: 5 Years



Model: 610
Power: 10W - 20W - 30W - 35W
Total Lumen: 665 - 1646 - 2130 - 2765 lm
Angle: 21° - 25° - 25° - 25°
Size: 55*140 - 65*150 - 75*168 - 80*175mm
Material: Die-cast Aluminum
Lifetime: 20,000 Hrs
Warranty: 3 Years

General | Specs



CCT
3000K - 4000K - 6000K



Material
Die-Cast Aluminum



IP 65



Lifetime
50,000 Hrs



Warranty
5 Years



Model: High Bay 709

Power: 100W - 150W - 200W

Total Lumen: 14127 - 21467 - 27920 lm

Angle: 89° - 84° - 88°

Size: 260*93 - 300*93 - 350*93mm

High bay lighting solutions deliver powerful, high-efficiency illumination with advanced LED technology, durable construction, and precision optics—providing uniform light distribution and reliable performance for warehouses, factories, and large industrial spaces.



General | Specs



CCT
3000K - 4000K - 6000K



Material
Die-Cast Aluminum



IP 65



Lifetime
50,000 Hrs



Warranty
5 Years



Model: W01


Size: 200*160*45mm

Power: 20W

Angle: 122°

Total Lumen: 1615 lm

Outdoor wall lighting delivers elegant illumination with advanced LED technology, weather-resistant construction, and a modern minimalist design—enhancing building facades, pathways, and outdoor spaces with reliable, long-lasting performance.





General | Specs

CCT
3000K - 4000K - 6000K



PC



IP 65



Model: T10
Power: 40W
Total Lumen: 4040 lm
Angle: 129°
Size: 1225*64*64mm
Material: PC
Lifetime: 30,000 Hrs
Warranty: 3 Years



Model: T21
Power: 40W
Total Lumen: 4974 lm
Angle: 120°
Size: 1200*80*72mm
Material: PC
Lifetime: 50,000 Hrs
Warranty: 5 Years



Model: T22E
Power: N/A
Total Lumen: N/A
Angle: N/A
Size: 1265*113*86mm
Material: ABS
Lifetime: N/A
Warranty: 5 Years



Model: T19
Power: 40W
Total Lumen: 2906 lm
Angle: 106°
Size: 1200*50*75mm
Material: Die-cast Aluminum
IP: 20
Lifetime: 50,000 Hrs
Warranty: 5 Years

LED linear lighting solutions provide sleek, uniform illumination with advanced LED technology, waterproof or non-waterproof construction, modern architectural design, and energy-efficient performance—enhancing offices and showrooms.



General | Specs



CCT
3000K - 6500K



Model: HYD-A60-A65-A70
Power: 9W - 12W - 15W
Total Lumen: 810 - 1080 - 1350 lm
Angle: 220°
Base: E27



Model: HYD-T8
Power: 9W - 18W
Total Lumen: 900 - 1800 lm
Angle: 180°
Size: 60-120cm
Material: PC
Base: G13



Model: HYD-MR16
Power: 5W
Total Lumen: 450 lm
Angle: 60°
Base: GU5.3



Model: HYD-MR16-12V
Power: 5W
Total Lumen: 465 lm
Angle: 60°
Base: GU5.3



Lifetime
30,000 Hrs



Warranty
4 Years



Model: HYD-T80-100-120
Power: 20W - 30W - 40W
Total Lumen: 1800 - 2700 - 3600 lm
Angle: 180°
Base: E27



Model: HYD-C37
Power: 5W
Total Lumen: 500 lm
Angle: 220°
Base: E14



Model: HYD-GU10
Power: 5W
Total Lumen: 445 lm
Base: GU10



Model: HYD-G45
Power: 5W
Total Lumen: 460 lm
Base: E27

LED lamps deliver efficient, high-quality illumination with long-lasting performance, and energy-saving operation—providing reliable lighting solutions for residential and commercial applications.

Deutsch
Industries

De Light



Model: Uni-Spot Adjustable
Cut-out: 89mm
Material: ABS
Supports MR16 Lamp
Includes GU5.3 Holder



Model: Uni-Spot Adjustable
Cut-out: 92*92mm
Material: ABS
Supports MR16 Lamp
Includes GU5.3 Holder



Model: Anti-Glare

Indoor lighting solutions deliver efficient, high-quality illumination with advanced LED technology, durable construction, and low-glare performance—creating comfortable, visually appealing spaces for every interior.





General | Specs

CCT
3000K - 4000K - 6500K

Warranty
3 Years

IP 20

Lifetime
25,000 Hrs



**Model: Eco-Star - Round
Surface Mounted**
Power: 12W - 18W - 24W - 32W
Total Lumen: 1363lm - 1772lm -
2497lm - 3330lm
Angle: 110°
Size: 174*32mm
225*32mm
225*32mm
288*32mm
Material: Polypropylene



**Model: Eco-Star - Square
Surface Mounted**
Power: 12W - 18W - 24W - 32W
Total Lumen: 1440lm - 2053lm -
2361lm - 3469lm
Angle: 110°
Size: 174*32mm
225*32mm
225*32mm
288*32mm
Material: Polypropylene



**Model: Eco-Star - Round
Recessed Mounted**
Power: 6W - 12W - 18W -
24W - 32W
Total Lumen: 537lm - 1080lm -
1682lm - 2339lm -
3355lm
Angle: 110°
Size: 100*28mm
144*28mm
174*28mm
224*30mm
299.5*30mm
Material: Polypropylene

General | Specs

CCT
3000K - 4000K - 6500K

Lifetime
50,000 Hrs

Warranty
5 Years



**Model: Delight Eco-Star
Backlit 60*60cm**
Power: 40W - 48W
Total Lumen: 4937lm - 5896lm
CCT: 3000K - 4000K - 6500K
Angle: 114°
Size: 595*595*32mm
Material: Iron
IP: 20



**Model: Delight Low Voltage
LED Strip 24V**
Power: 10 W/m - 15 W/m -
10 W/m
Total Lumen: 1000 lm/m -
1500 lm/m -
2000 lm/m
Angle: 120°
Size: 10000*8mm
10000*8mm
5000*10mm
Material: None - Silicone Sleeve
- None
IP: 20 - 65 - 20

LED strip lighting solutions provide flexible, uniform illumination with advanced LED technology, energy-efficient performance, and versatile installation—creating seamless lighting effects for architectural, decorative, and commercial applications.



General | Specs

 CCT
3000K - 4000K - 6500K
Material
Die-Cast Aluminum


Model: Eco-Star Floodlight
Power: 50W - 100W - 150W - 200W
Total Lumen: 4500lm - 9000lm - 13500lm - 18000lm
CCT: 3000K - 6500K
Angle: 120°
Size: 174*154*26mm
 256*206*30mm
 298*236*36mm
 342*266*36mm
Lifetime: 25000 Hrs
Warranty: 3 Years




Model: Floodlight Pro
Power: 50W - 100W - 200W
Total Lumen: 6900lm - 13700lm - 30500lm
Angle: 60° - 90° - 120°
Size: 258*218*50mm
 315*262*55mm
 383*328*55mm
Lifetime: 50000 Hrs
Warranty: 5 Years

Flood lighting solutions deliver powerful, high-efficiency illumination with advanced LED technology, durable weather-resistant construction, and precision optics—providing reliable performance for industrial facilities, sports areas, building facades, and large outdoor spaces.

General | Specs

 CCT
3000K - 4000K - 5700K - 6500K
Material
Die-Cast Aluminum


Model: Sky-Light
Power: 50W - 100W - 150W - 200W
Total Lumen: 7000lm - 14000lm - 21000lm - 28000lm
Angle: T2M - T3M
Size: 545*210*100mm
 565*220*100mm
 655*250*100mm
 675*250*100mm
Lifetime: 50000 Hrs
Warranty: 5 Years



Model: Eco-Star
Power: 100W - 150W
Total Lumen: 15000lm - 22500lm
Angle: T2M - T3M
Size: 495*230*75mm
 595*245*75mm
Lifetime: 30000 Hrs
Warranty: 3 Years

