
Your Trusted Partner...
21 Ahmed Oraby St., El Mohandseen, Giza, Egypt
Plot No. 64 & 65, 4th Industrial Area, 6th of October City, Giza, Egypt
(+20) 233459773 & (+20) 233459771
info@deutschindustries.com

# Deutsch Industries

# PRODUCT MINI CATALOG

- INDUSTRIAL
- COMMERCIAL
- RESIDENTIAL

LIGHTING SOLUTIONS

Deutsch

# ABOUT US

We are a company under Nahdet Misr Group (NMG).
Nahdet Misr is an innovative conglomerate that has been at the forefront of the publishing industry for over 85 years, NMG has gained global recognition as a leading provider of integrated and cutting-edge educational and capability building solutions.

## Vision

To lead the transformation of lighting and power solutions through innovation,sustainability, and customer-centric excellence.

## Mission

We strive to achieve market leadership by investing in our people, adopting advanced technologies, and delivering exceptional products and after-sales services that exceed customer expectations.

Believe in something better. Believe in...

# HYUNDAI



## General | Specs

CCT
3000K - 4000K - 6000K

Material
Die-Cast Aluminum



**Model: 254**
**Power: 1*7W**
**Total Lumen: 784 lm**
**Angle: 88°**
**Cut-out: 75 mm**



**Model: 255**
**Power: 2*7W**
**Total Lumen: 1540 lm**
**Angle: 88°**
**Cut-out: 80*160 mm**



**Model: 255**
**Power: 3*7W**
**Total Lumen: 2331 lm**
**Angle: 88°**
**Cut-out: 80*240 mm**



**Model: 255**
**Power: 4*7W**
**Total Lumen: 3080 lm**
**Angle: 88°**
**Cut-out: 160*160 mm**

IP 20

Lifetime
50,000 Hrs

Warranty
5 Years



**Model: 352**
**Power: 5W - 7W**
**Total Lumen: 340 - 606 lm**
**Angle: 32° - 24°**
**Cut-out: 47 - 60 mm**



**Model: 352**
**Power: 1W - 2W - 4W**
**Total Lumen: 29 - 98 - 260 lm**
**Angle: 32° - 15° - 33°**
**Cut-out: 18 - 30 - 40 mm**



**Model: 219C**
**Power: 7W - 15W - 20W**
**Total Lumen: 630 - 1620 - 2201 lm**
**Angle: 82° - 87° - 82°**
**Cut-out: 75 - 110 - 145 mm**
**IP: 44**

**Indoor lighting solutions deliver efficient, high-quality illumination with advanced LED technology, durable construction, and low-glare performance—creating comfortable, visually appealing spaces for every interior.**





## General | Specs

CCT
3000K - 4000K - 6000K

Material
Die-Cast Aluminum



**Model: 324**
**Power: 7W - 12W - 20W**
**Total Lumen: 553 - 1116 - 1940 lm**
**Angle: 32° - 37° - 39°**
**Cut-out: 60 - 75 - 95 mm**



**Model: 308**
**Power: 7W - 15W**
**Total Lumen: 672 - 1485 lm**
**Angle: 33° - 77°**
**Cut-out: 75 - 120 mm**



**Model: 240R**
**Power: 7W - 10W - 15W - 30W**
**Total Lumen: 644 - 980 - 1620 - 3355 lm**
**Angle: 109° - 109° - 114° - 133°**
**Cut-out: 75 - 100 - 140 - 205 mm**
**IP: 44**



**Model: 347A**
**Power: 8W**
**Total Lumen: 688 lm**
**Angle: 34°**
**Cut-out: 78 mm**

IP 20

Lifetime
50,000 Hrs

Warranty
5 Years



**Model: 116E**
**Power: 7W - 10W - 20W - 30W**
**Total Lumen: 504 - 850 - 2000 - 3690 lm**
**Angle: 103° - 104° - 107° - 107°**
**Cut-out: 75 - 95 - 145 - 190 mm**
**Warranty: 3 Years**
**Lifetime: 20,000 Hrs**



**Model: P8**
**Power: 12W - 18W - 24W**
**Total Lumen: 1051 - 1684 - 2681 lm**
**Angle: 111°**
**Cut-out: N/A**
**Warranty: 3 Years**
**Lifetime: 20,000 Hrs**



**Model: P7**
**Power: 5W - 8W - 15W - 20W**
**Total Lumen: 344 - 712 - 1304 - 2047 lm**
**Angle: 108° - 109° - 110° - 110°**
**Cut-out: 75 - 95 - 145 - 190 mm**
**Warranty: 3 Years**
**Lifetime: 20,000 Hrs**

**Indoor lighting solutions deliver efficient, high-quality illumination with advanced LED technology, durable construction, and low-glare performance—creating comfortable, visually appealing spaces for every interior.**





## General | Specs

CCT
3000K - 4000K - 6000K



**Model: 104B**
**Power: 40W - 55W**
**Total Lumen: 4440 - 5462 - 6270 lm**
**Angle: 114°**
**Size: 595*595*32mm**
**Material: Sheet Metal**
**Lifetime: 50,000 Hrs**
**Warranty: 5 Years**
**IP: 42**

IP 20



**Model: 610**
**Power: 10W - 20W - 30W - 35W**
**Total Lumen: 665 - 1646 - 2130 - 2765 lm**
**Angle: 21° - 25° - 25° - 25°**
**Size: 55*140 - 65*150 - 75*168 - 80*175mm**
**Material: Die-cast Aluminum**
**Lifetime: 20,000 Hrs**
**Warranty: 3 Years**



## General|Specs

CCT
3000K - 4000K - 6000K

Material
Die-Cast Aluminum

IP 65

Lifetime
50,000 Hrs

Warranty
5 Years



**Model: High Bay 709**
**Power: 100W - 150W - 200W**
**Total Lumen: 14127 - 21467 - 27920 lm**
**Angle: 89° - 84° - 88°**
**Size: 260*93 - 300*93 - 350*93mm**

**High bay lighting solutions deliver powerful, high-efficiency illumination with advanced LED technology, durable construction, and precision optics—providing uniform light distribution and reliable performance for warehouses, factories, and large industrial spaces.**



## General|Specs

**CCT**
**3000K - 4000K - 6000K**

Material
Die-Cast Aluminum

IP 65

Lifetime
50,000 Hrs


Warranty
5 Years



**Model: W01**
**Size: 200*160*45mm**
**Power: 20W**
**Angle: 122°**
**Total Lumen: 1615 lm**

**Outdoor wall lighting delivers elegant illumination with advanced LED technology, weather-resistant construction, and a modern minimalist design—enhancing building facades,pathways, and outdoor spaces with reliable,long-lasting performance.**





## General | Specs

CCT
3000K - 4000K - 6000K

PC

IP 65



**Model: T10**
**Power: 40W**
**Total Lumen: 4040 lm**
**Angle: 129°**
**Size: 1225*64*64mm**
**Material: PC**
**Lifetime: 30,000 Hrs**
**Warranty: 3 Years**



**Model: T21**
**Power: 40W**
**Total Lumen: 5479 lm**
**Angle: 120°**
**Size: 1200*80*72mm**
**Material: PC**
**Lifetime: 50,000 Hrs**
**Warranty: 5 Years**



**Model: T22E**
**Power: N/A**
**Total Lumen: N/A**
**Angle: N/A**
**Size: 1265*113*86mm**
**Material: ABS**
**Lifetime: N/A**
**Warranty: 5 Years**



Model: T19
Power: 40W
Total Lumen: 2906 lm
Angle: 106°
Size: 1200*50*75mm
Material: Die-cast Aluminum
IP: 20
Lifetime: 50,000 Hrs
Warranty: 5 Years



**LED linear lighting solutions provide sleek, uniform illumination with advanced LED technology, waterproof or non-waterproof construction, modern architectural design, and energy-efficient performance—enhancing offices and showrooms.**




## General | Specs

CCT
3000K - 6500K



**Model: HYD-A60-A65-A70**
**Power: 9W - 12W - 15W**
**Total Lumen: 810 - 1080 - 1350 lm**
**Angle: 220°**
**Base: E27**



**Model: HYD-T8**
**Power: 9W - 18W**
**Total Lumen: 900 - 1800 lm**
**Angle: 180°**
**Size: 60-120cm**
**Material: PC**
**Base: G13**



**Model: HYD-MR16**
**Power: 5W**
**Total Lumen: 450 lm**
**Angle: 60°**
**Base: GU5.3**



**Model: HYD-MR16-12V**
**Power: 5W**
**Total Lumen: 465 lm**
**Angle: 60°**
**Base: GU5.3**

Lifetime
30,000 Hrs

Warranty
4 Years



**Model: HYD-T80-100-120**
**Power: 20W - 30W - 40W**
**Total Lumen: 1800 - 2700 - 3600 lm**
**Angle: 180°**
**Base: E27**



**Model: HYD-C37**
**Power: 5W**
**Total Lumen: 500 lm**
**Angle: 220°**
**Base: E14**




**Model: HYD-GU10**
**Power: 5W**
**Total Lumen: 445 lm**
**Base: GU10**



**Model: HYD-G45**
**Power: 5W**
**Total Lumen: 460 lm**
**Base: E27**

**LED lamps deliver efficient, high-quality illumination with long-lasting performance, and energy-saving operation—providing reliable lighting solutions for residential and commercial applications.**



Deutsch
Industries

De Light



Model: Uni-Spot Adjustable
Cut-out: 89mm
Material: ABS
Supports MR16 Lamp
Includes GU5.3 Holder



Model: Uni-Spot Adjustable
Cut-out: 92*92mm
Material: ABS
Supports MR16 Lamp
Includes GU5.3 Holder



Model: Anti-Glare



**Indoor lighting solutions deliver efficient, high-quality illumination with advanced LED technology, durable construction, and low-glare performance—creating comfortable, visually appealing spaces for every interior.**



## General | Specs

CCT
3000K - 4000K - 6500K

IP 20

Lifetime
25,000 Hrs

Warranty
3 Years



**Model: Eco-Star - Round Surface Mounted**
**Power: 12W - 18W - 24W - 32W**
**Total Lumen: 1363lm - 1772lm - 2497lm - 3330lm**
**Angle: 110°**
**Size: 174*32mm**
**225*32mm**
**225*32mm**
**288*32mm**
**Material: Polypropylene**



**Model: Eco-Star - Square Surface Mounted**
**Power: 12W - 18W - 24W - 32W**
**Total Lumen: 1440lm - 2053lm - 2361lm - 3469lm**
**Angle: 110°**
**Size: 174*32mm**
**225*32mm**
**225*32mm**
**288*32mm**
**Material: Polypropylene**



**Model: Eco-Star - Round Recessed Mounted**
**Power: 6W - 12W - 18W - 24W - 32W**
**Total Lumen: 537lm - 1080lm - 1682lm - 2339lm - 3355lm**
**Angle: 110°**
**Size: 100*28mm**
**144*28mm**
**174*28mm**
**224*30mm**
**299.5*30mm**
**Material: Polypropylene**

## General | Specs

CCT
3000K - 4000K - 6500K

Lifetime
50,000 Hrs

Warranty
5 Years



**Model: Delight Eco-Star Backlit 60*60cm**
**Power: 40W - 48W**
**Total Lumen: 4937lm - 5896lm**
**CCT: 3000K - 4000K - 6500K**
**Angle: 114°**
**Size: 595*595*32mm**
**Material: Iron**
**IP: 20**



**Model: Delight Low Voltage LED Strip 24V**
**Power: 10 W/m - 15 W/m - 10 W/m**
**Total Lumen: 1000 lm/m - 1500 lm/m - 2000 lm/m**
**Angle: 120°**
**Size: 10000*8mm 10000*8mm 5000*10mm**
**Material: None - Silicone Sleeve - None**
**IP: 20 - 65 - 20**

**LED strip lighting solutions provide flexible, uniform illumination with advanced LED technology, energy-efficient performance, and versatile installation—creating seamless lighting effects for architectural, decorative, and commercial applications.**






## General | Specs

CCT
3000K - 4000K - 6500K

Material
Die-Cast Aluminum

IP 65



**Model: Eco-Star Floodlight**
**Power: 50W - 100W - 150W -200W**
**Total Lumen: 4500lm - 9000lm - 13500lm - 18000lm**
**CCT: 3000K - 6500K**
**Angle: 120°**
**Size: 174*154*26mm**
**256*206*30mm**
**298*236*36mm**
**342*266*36mm**
**Lifetime: 25000 Hrs**
**Warranty: 3 Years**



**Model: Floodlight Pro**
**Power: 50W - 100W - 200W**
**Total Lumen: 6900lm - 13700lm - 30500lm**
**Angle: 60° - 90° - 120°**
**Size: 258*218*50mm**
**315*262*55mm**
**383*328*55mm**
**Lifetime: 50000 Hrs**
**Warranty: 5 Years**


**Flood lighting solutions deliver powerful, high-efficiency illumination with advanced LED technology, durable weather-resistant construction, and precision optics—providing reliable performance for industrial facilities, sports areas, building facades, and large outdoor spaces.**

## General|Specs


**CCT**
**3000K - 4000K - 5700K- 6500K**

Material
Die-Cast Aluminum

IP 65 - IK08



**Model: Sky-Light**
**Power: 50W - 100W - 150W - 200W**
**Total Lumen: 7000lm - 14000lm - 21000lm - 28000lm**
**Angle: T2M - T3M**
**Size: 545*210*100mm**
**565*220*100mm**
**655*250*100mm**
**675*250*100mm**
**Lifetime: 50000 Hrs**
**Warranty: 5 Years**



**Model: Eco-Star**
**Power: 100W - 150W**
**Total Lumen: 15000lm - 22500lm**
**Angle: T2M - T3M**
**Size: 495*230*75mm**
**595*245*75mm**
**Lifetime: 30000 Hrs**
**Warranty: 3 Years**

